

NATIONAL WEATHER SERVICE INSTRUCTION 10-315

SEPTEMBER 10, 2015

Operations and Services

Marine and Coastal Weather Services, NWSPD 10-3

MARINE WEATHER MESSAGE

NOTICE: This publication is available at: <http://www.nws.noaa.gov/directives/>.

OPR: W/AFS26 (R. May)

Certified by: W/AFS26 (M. Dion)

Type of Issuance: Emergency

SUMMARY OF REVISIONS: This directive supersedes NWSI 10-315, Marine Weather Message, dated October 31, 2014. This directive includes the following changes:

1. WFOs will issue the tropical storm, hurricane, and typhoon watches and warnings via the Marine Weather Message (MWW) for marine zones in the Atlantic, Caribbean, Gulf of Mexico and Pacific waters. In addition to the current marine Valid Time Event Code (VTEC) codes, the MWW will also carry the tropical VTEC codes. See SCN 15-10 posted at http://www.nws.noaa.gov/om/notification/scn15-10vtec_tropical_hls_mww.htm for more information.
2. Added the tropical hazards to Tables 1 and 3. Made minor adjustments in sections 5 and 6 to include tropical conditions.

signed _____

August 27, 2015

Andrew D. Stern

Date

Director,

Analyze, Forecast and Support Office

**Marine Weather Message
Table of Contents**

| | | <u>Page</u> |
|----------|---|-------------|
| 1 | Introduction..... | 4 |
| 2 | Marine Weather Event..... | 4 |
| 2.1 | Marine Weather Event Beginning Time..... | 4 |
| 2.2 | Marine Weather Event Ending Time..... | 4 |
| 3 | Multi-tiered Concept. | 4 |
| 4 | Marine Weather Outlook (product category HWO or MWS). | 5 |
| 4.1 | Mission Connection. | 5 |
| 4.2 | Issuance Guidelines..... | 5 |
| 4.3 | Technical Description. | 5 |
| 5 | Marine Weather Watches (product category MWW)..... | 5 |
| 5.1 | Mission Connection. | 5 |
| 5.2 | Issuance Guidelines. | 5 |
| 5.2.1 | Creation Software. | 5 |
| 5.2.2 | Issuance Criteria..... | 5 |
| 5.2.2.1 | Marine Watch Products..... | 6 |
| 5.2.3 | Issuance Time..... | 7 |
| 5.2.4 | Valid Time..... | 7 |
| 5.2.5 | Product Expiration Time..... | 7 |
| 5.2.6 | Event Ending Time. | 7 |
| 5.3 | Technical Description. | 7 |
| 5.3.1 | Universal Geographic Code (UGC) Type..... | 7 |
| 5.3.2 | Mass News Disseminator (MND) Broadcast Instruction Line..... | 7 |
| 5.3.3 | MND Product Type Line. | 7 |
| 5.3.4 | Marine Watch Content..... | 7 |
| 5.3.4.1 | Overview Section..... | 7 |
| 5.3.4.2 | Segmented Forecast Information. | 8 |
| 5.3.5 | Format..... | 11 |
| 5.4 | Updates, Cancellations, and Corrections. | 11 |
| 5.5 | Upgrade Watch to Warning or Advisory..... | 12 |
| 5.5.1 | Upgrade Watch to Warning Segment Example..... | 12 |
| 6 | Marine Weather Warnings (product category MWW). | 12 |
| 6.1 | Mission Connection..... | 12 |
| 6.2 | Issuance Guidelines..... | 12 |
| 6.2.1 | Creation Software..... | 12 |
| 6.2.2 | Issuance Criteria..... | 12 |
| 6.2.2.1 | Marine Weather Warning Products..... | 13 |
| 6.2.3 | Issuance Time. | 14 |
| 6.2.4 | Valid Time. | 14 |

| | | |
|----------|---|-----------|
| 6.2.5 | Product Expiration Time..... | 14 |
| 6.2.6 | Event Ending Time. | 14 |
| 6.3 | Technical Description | 14 |
| 6.3.1 | UGC Type..... | 14 |
| 6.3.2 | MND Broadcast Instruction Line..... | 14 |
| 6.3.3 | MND Product Type Line. | 14 |
| 6.3.4 | Content..... | 14 |
| | 6.3.4.1 Overview Section..... | 14 |
| | 6.3.4.2 Segmented Forecast Information. | 15 |
| 6.3.5 | Format..... | 18 |
| 6.4 | Updates, Cancellations, and Corrections | 18 |
| 6.5 | Downgrade Warning to Advisory..... | 19 |
| 6.5.1 | Downgrade Warning to Advisory Segment Example..... | 19 |
| 7 | Marine Weather Advisories (product category MWW). | 19 |
| 7.1 | Mission Connection. | 19 |
| 7.2 | Issuance Guidelines. | 19 |
| 7.2.1 | Creation Software. | 19 |
| 7.2.2 | Issuance Criteria..... | 19 |
| | 7.2.2.1 Marine Weather Advisory Products..... | 20 |
| 7.2.3 | Issuance Time. | 21 |
| 7.2.4 | Valid Time. | 21 |
| 7.2.5 | Product Expiration Time..... | 21 |
| 7.2.6 | Event Ending Time. | 21 |
| 7.3 | Technical Description. | 21 |
| 7.3.1 | UGC Type..... | 21 |
| 7.3.2 | MND Broadcast Instruction Line..... | 21 |
| 7.3.3 | MND Product Type Line. | 21 |
| 7.3.4 | Content..... | 21 |
| | 7.3.4.1 Overview Section..... | 21 |
| | 7.3.4.2 Segmented Forecast Information. | 22 |
| 7.3.5 | Format..... | 25 |
| 7.4 | Updates, Amendments, and Corrections..... | 25 |
| 7.5 | Upgrade Advisory to Warning..... | 26 |
| 7.5.1 | Upgrade Advisory to Warning Segment Example..... | 26 |

APPENDIX A - Marine Weather Message Product Examples

| | | |
|-----|---|-----|
| 1 | Introduction..... | A-1 |
| 2 | Marine Weather Warning Examples..... | A-1 |
| 2.1 | Gale Watch. An example of a continuation of a Gale Watch..... | A-1 |
| 2.2 | Gale Warning. | A-2 |
| 2.3 | Hurricane Force Wind Warning..... | A-3 |

2.4 Ashfall Warning..... A-4

3 Marine Weather Advisory Examples..... A-5

3.1 Small Craft Advisory..... A-5

3.2 Small Craft Advisory for Rough Bar.....A-7

4 Cancellation Product Example..... A-8

4.1 Cancelled Small Craft Advisory..... A-8

5 Hurricane Watch Example.....A-8

5.1 Hurricane Watch.....A-8

1 Introduction. This procedural directive describes the marine weather message products issued by National Weather Service (NWS) Weather Forecast Offices (WFOs) serving the U.S. coastal waters and Great Lakes (except in Alaska), guidelines associated with this product, and detailed content and format.

2 Marine Weather Event. A marine weather event is a meteorological phenomenon that impacts public safety, transportation, and/or commerce. A marine weather event (watch/warning/advisory) will apply to an entire marine zone. Only one scaled weather event can be in effect at the same time and in the same marine zone.

2.1 Marine Weather Event Beginning Time. A marine weather event begins either when the issuance criteria are forecast to be initially met or exceeded, or when public safety, transportation and/or commerce are adversely affected as a direct result of the expected or occurring meteorological conditions before criteria are met.

2.2 Marine Weather Event Ending Time. A marine weather event ends when the issuance criteria are forecast to no longer be met, when meteorological conditions are expected to no longer pose a threat to public safety, transportation and/or commerce, or when such conditions are forecast to end.

3 Multi-tiered Concept. The NWS marine weather warning program should use, when appropriate, the multi-tiered concept to increase public awareness and promote a proper response to the impending hazardous marine weather event. Generically, the multi-tiered concept is:

a. **Outlook:** An outlook is used to indicate that a hazardous marine weather event may develop. It is intended to provide information to those who need considerable lead time to prepare for the event. Marine outlooks are issued with a Hazardous Weather Outlook (HWO) and/or a Marine Weather Statement (MWS).

b. **Watch:** A watch is used when the risk of a hazardous marine weather event has increased, but its occurrence, location, and/or timing is still uncertain. It is intended to provide enough lead time so those who need to set their plans in motion can do so.

- c. **Warning:** A warning is used when a hazardous marine weather event is occurring, is imminent, or has a very high probability of occurrence. A warning is used for conditions posing a threat to life or property.
- d. **Advisory:** An advisory is used for less serious conditions that cause significant inconvenience and, if caution is not exercised, could lead to situations that may threaten life and/or property.

To properly apply the multi-tiered concept, it is important to have agreement between the forecast staff and other affected WFOs to reach a forecast consensus. This will increase consistency and decrease geographical/time discontinuities, especially for the longer duration products like outlooks and watches. Proper coordination will enable the NWS to speak with one voice when alerting users to the potential for such an event.

4 Marine Weather Outlook (product category HWO or MWS)

4.1 Mission Connection. Marine Weather Outlooks provide our users and partners three to five day advance notice of a hazardous marine weather event which has the potential to threaten life or property. The primary goal of this product is to provide information to those who need considerable lead time to prepare for the event.

4.2 Issuance Guidelines. WFOs should use the HWO and/or the MWS to highlight hazardous marine weather conditions beyond 48 hours.

4.3 Technical Description. Marine Weather Outlooks should follow the format and content described in NWS Instruction (NWSI) 10-517, section 4.3 for the HWO, and NWSI 10-314, section 2.3 for the MWS.

5 Marine Weather Watches (product category MWW)

5.1 Mission Connection. Marine Weather Watches provide our users and partners 12- to 48-hour advance notice of hazardous marine weather events which have the potential to threaten life or property. The primary goal of this product is to provide enough lead time for mariners who may wish to consider altering their plans.

5.2 Issuance Guidelines

5.2.1 Creation Software. WFOs will use the Advanced Weather Interactive Processing System (AWIPS) Graphical Hazard Generator (GHG) as the primary software to create and issue Marine Weather Watches.

5.2.2 Issuance Criteria. WFOs should issue a Marine Weather Watch when conditions are favorable for a hazardous marine weather event to develop over part or all of the marine forecast area, but the occurrence is uncertain. WFOs should issue a Marine Weather Watch for the second, third, fourth or occasionally fifth forecast periods when there is a significant chance of a hazardous marine weather event meeting or exceeding warning criteria.

5.2.2.1 MWW Products. All possible Marine Weather Watch products affecting marine areas and subsequent issuance criteria are listed in Table 1.

| Marine Watch Product Name | Issuance Criteria |
|----------------------------------|--|
| Gale Watch | Conditions are favorable for a gale force wind event to meet the Gale Warning criteria of sustained winds or frequent gusts* of 34 knots to 47 knots in the next 12 to 60 hours. |
| Storm Watch | Conditions are favorable for a storm force wind event to meet Storm Warning criteria of sustained winds or frequent gusts* of 48 knots to 63 knots in the next 12 to 60 hours. |
| Hurricane Force Wind Watch | Conditions are favorable for a hurricane force wind event to meet or exceed Hurricane Force Wind Warning criteria of sustained winds or frequent gusts* of 64 knots or greater in the next 12 to 60 hours. |
| Heavy Freezing Spray Watch | Conditions are favorable for a heavy freezing spray event to meet local Heavy Freezing Spray Warning criteria in the next 12 to 60 hours. |
| Hazardous Seas Watch | Conditions are favorable for a hazardous seas event to meet or exceed Hazardous Seas Warning criteria in the next 12 to 60 hours. |
| Tropical Storm Watch | Conditions are possible for a tropical storm event within the specified area within 48 hours. |
| Hurricane Watch | Conditions are possible for a hurricane event within the specified area. Because hurricane preparedness activities become difficult once winds reach tropical storm force, the hurricane watch is typically issued 48 hours before the anticipated, initial onset of tropical storm force winds. |
| Typhoon Watch | Conditions are possible for a typhoon event within the specified area. Because typhoon preparedness activities become difficult once winds reach tropical storm force, the typhoon watch is typically issued 48 hours before the anticipated, initial onset of tropical storm force winds. |

Table 1 Marine Weather Watch Product Table.

*Frequent Gusts: For 2 or more hours during a 12 hour forecast period

5.2.3 Issuance Time. The Marine Weather Watch is an event-driven product. WFOs should issue the initial MWW when the watch issuance criteria are met. Subsequent updates are issued at least once every 12 hours until a warning or advisory is issued or the Marine Weather Watch is cancelled.

5.2.4 Valid Time. A Marine Weather Watch is valid for 12 to 48 hours after the issuance time. The valid time (event start and end time) is placed in the Product Valid Time Event Code (P-VTEC) line and described in the watch headline. For tropical storm, hurricane, and typhoon watches, an event start time and end time is not explicitly provided because of inherent uncertainties in forecasting tropical cyclones.

5.2.5 Product Expiration Time. The product expiration time is generally 12 hours after the issuance time and is placed at the end of the Universal Geographic Code (UGC) string. The product expiration time is the time when users can expect to receive an updated Marine Weather Watch.

5.2.6 Event Ending Time. The event ending time is when the marine hazardous event is expected to end. The event ending time is placed in the P-VTEC line and described in the watch headline (e.g., GALE WATCH IN EFFECT FROM LATE SUNDAY NIGHT TO MONDAY MORNING). See 5.2.4 for tropical exceptions.

5.3 Technical Description. Marine Weather Watches will follow the format and content described in this section.

5.3.1 Universal Geographic Code (UGC) Type. Marine Weather Watches will use the (Z) form of the UGC.

5.3.2 Mass News Disseminator (MND) Broadcast Instruction Line. Not applicable.

5.3.3 MND Product Type Line. The Marine Weather Watch MND line is “URGENT - MARINE WEATHER MESSAGE”.

5.3.4 Marine Weather Watch Content. The Marine Weather Watch may contain an overview section, but will include segmented forecast information.

5.3.4.1 Overview Section. The Marine Weather Watch overview section is optional. If included, it should contain at least one of the following items:

- a. Overview Headline - a general headline statement that summarizes the hazardous weather threat, area affected and expected time of development. The overview headline will begin and end with three periods (...).

Example:

...STORM FORCE WINDS POSSIBLE TUESDAY AND TUESDAY NIGHT...

- b. Overview - a brief, non-technical description of the developing marine event. The description may include the location and movement of large scale weather features (e.g.,

fronts, low pressure systems). A period “.” will precede the first line of this descriptive information.

5.3.4.2 Segmented Forecast Information. Each segment of the Marine Weather Watch will include a watch headline. The headline should be followed by a descriptive text describing why the watch was issued. Each segment describes a specific hazardous marine weather event(s) for the same geographical area.

a. Watch Headline. The watch headline will include the following elements in the order shown:

- (1) Leading ellipsis (...)
- (2) Valid watch product name listed in Table 1
- (3) Event action phrase defined in Table 2
- (4) General event beginning day and time phrase
- (5) General event ending day and time phrase
- (6) Trailing ellipsis (...)

Generic Watch Headline Format:

(1) Used when watch product is in effect:

...<watch product name> <event action phrase> FROM <event beginning date and time phrase> THROUGH <event ending date and time phrase>...

(2) Used to cancel a watch prior to event beginning date and time:

...<watch product name> IS CANCELLED...

Event Action Phrase. The event action phrase in the watch headline corresponds with the VTEC action code. Only the following event action phrases in Table 2 will be used in marine weather watch headlines:

| VTEC Action Code | Description | Required Event Action Phrase | Include Time/Date Phrase? |
|------------------|--|------------------------------|---------------------------|
| NEW | Initial Issuance | IN EFFECT | Yes |
| EXA | Expansion of watch area | IN EFFECT | Yes |
| EXB | Expansion of watch area and change to watch valid time | IN EFFECT | Yes |
| CON | Continuation or update of event | REMAINS IN EFFECT | Yes |
| EXT | Extend/shorten event start and/or ending date/time | NOW IN EFFECT | Yes |
| CAN | Product cancelled prior to event end time | IS CANCELLED | No |
| UPG | Upgrade watch - no headline | | |

Table 2 Event Action Phrases for Marine Weather Watch Headlines.

a. Watch Headline Examples:

(1) Initial Issuance:

...GALE WATCH IN EFFECT FROM SUNDAY MORNING THROUGH MONDAY MORNING...

(2) Update:

...GALE WATCH REMAINS IN EFFECT FROM SUNDAY MORNING THROUGH MONDAY MORNING...

(3) Extended event end time:

...GALE WATCH NOW IN EFFECT FROM SUNDAY MORNING THROUGH MONDAY AFTERNOON...

(4) Expansion of watch area and shortened event start and end time:

...GALE WATCH IN EFFECT FROM SATURDAY EVENING THROUGH SUNDAY EVENING...

(5) Watch cancelled prior to event end time/date:

...GALE WATCH IS CANCELLED...

- b. Watch Descriptive Text. This section should provide the following watch information:
- (1) NWS attribution line. For the initial watch, include the following phrase to begin the text of a watch:

THE NATIONAL WEATHER SERVICE IN [WFO NAME or LOCATION] HAS ISSUED A (e.g., GALE/STORM/HURRICANE FORCE WIND) WATCH.

The attribution line should not appear on subsequent issuances.

- (2) Reason watch was issued. Include marine weather elements prompting the watch.
- (3) Generalized quantitative wind speed forecasts (or frequent gusts, wave heights, steepness, etc.) based upon warning criteria (e.g., when the risk of gale force winds of 34 to 47 knots has significantly increased).
- (4) Explanation of a watch and uncertainty involved. Include the following phrase to define a marine watch:

A (e.g., GALE/STORM/FORCE WIND) WATCH IS ISSUED WHEN THE RISK OF (e.g., GALE/STORM/HURRICANE FORCE WINDS) HAS SIGNIFICANTLY INCREASED, BUT THE SPECIFIC TIMING AND/OR LOCATION IS STILL UNCERTAIN.

- (5) Brief potential impact or Call to Action (CTA) statements. CTAs can be effective in reminding mariners what actions to take in preparing themselves for the potential hazardous marine weather event.

- c. Order of Segments. Marine Weather Watches are usually placed last in the order of segments. This order was designed to place the most important and/or time sensitive information near the beginning of the message. The order of segments is:

- (1) Cancellation
- (2) Warnings
- (3) Advisories
- (4) Watches

- d. Multiple Headlines. More than one headline is allowed in a segment when two or more marine weather events are forecast to occur for the same UGC or geographical area.

Example:

Small Craft Advisory and Gale Watch in effect for the same geographical area:
...SMALL CRAFT ADVISORY IN EFFECT UNTIL 9 AM EST THIS MORNING...
...GALE WATCH IN EFFECT FROM THURSDAY AFTERNOON THROUGH FRIDAY AFTERNOON...

5.3.5 Format

| <u>Product Format</u> | <u>Description of Entry</u> |
|---|---|
| WHaaii cccc ddhhmm MWWxxx | (WMO Header) (AWIPS ID) |
| URGENT - MARINE WEATHER MESSAGE NATIONAL WEATHER SERVICE city state time am/pm time_zone day mon dd yyyy | (Product Name or MND) (Issuing Office) (Issuance time/date) |
| ...<Overview headline statement>... | (Optional) |
| <General marine weather synopsis> | (Optional - one to three paragraphs) |
| mmZxxx-xxx-xxx-ddhhmm- /k.aaa.cccc.pp.s.#####.yymmddThhnnZB- yymmddThhnnZE/ zone-zone-zone- time am/pm time_zone day mon dd yyyy | (UGC: <u>Z</u> and expiration time) (P-VTEC Line(s)) (Zone Names) (Issuance time/date) |
| ...WATCH HEADLINE... | |
| <Descriptive Text> | (Two to three paragraphs) |
| Includes the following information: 1. NWS attribution line (<i>Initial issuance only</i>) 2. Why watch was issued 3. Potential Impact | |
| PRECAUTIONARY/PREPAREDNESS ACTIONS... | (Start of CTA Marker) |
| 4. Definition of a watch with uncertainty 5. Call to action statement. | |
| && | (End of CTA Marker) |
| \$\$ | (UGC Delimiter) |
| Name/Initials/Forecaster ID | (Optional after last segment) |

Figure 1 Generic Format for a Marine Weather Watch.

5.4 Updates, Cancellations, and Corrections. WFOs will update Marine Weather Watches at least once every 12 hours, or when there is a significant change in timing, areal extent, or expected conditions. WFOs should issue the updated Marine Weather Watch before the product expiration time is reached.

Marine Weather Watches are either upgraded to warnings or advisories, or cancelled.

WFOs will issue a MWW to cancel a watch when the forecaster believes the threat of hazardous marine weather will not develop.

WFOs will issue correction statements for format or grammatical errors as required. To reduce format or grammatical errors, forecasters should proofread the product before transmission.

5.5 Upgrade Watch to Warning or Advisory. When a Marine Weather Watch is upgraded to a Marine Weather Warning or Marine Weather Advisory for the same geographical area, the MWW segment will contain one headline and two P-VTEC lines. The headline will list the new warning or advisory only. The first P-VTEC line will use the UPG action code to show the old marine weather watch is being upgraded. The second P-VTEC line will either use the NEW action code to start the new marine weather warning or advisory, or use the EXA or EXB action code to extend an existing marine weather warning or advisory into this geographical area.

5.5.1 Upgrade Watch to Warning Segment Example

ANZ050 050245

/O.UPG.KCAR.SR.A.0001.060805T0800Z-060805T2300Z/ (P-VTEC line 1)

/O.NEW.KCAR.SR.W.0001.060805T0800Z-060805T2300Z/ (P-VTEC line 2)

COASTAL WATERS FROM EASTPORT ME TO STONINGTON ME OUT 25 NM

237 PM EDT FRI AUG 4 2006

...STORM WARNING IN EFFECT FROM 4 AM TO 7 PM EDT SATURDAY...

(Only one headline used - lists active Marine Weather Warning)

<descriptive text>

\$\$

6 Marine Weather Warnings (product category MWW)

6.1 Mission Connection. Marine Weather Warnings provide our users and partners advance notice of hazardous marine weather events that threaten life or property.

6.2 Issuance Guidelines

6.2.1 Creation Software. WFOs will use AWIPS GHG as the primary software to create and issue Marine Weather Warnings.

6.2.2 Issuance Criteria. WFOs will issue Marine Weather Warnings when hazardous marine weather is imminent, occurring or highly likely over part or all of the forecast area. WFOs should issue a Marine Weather Warning for the first, second, third, or occasionally fourth forecast periods, when there is high confidence of a hazardous marine weather event meeting or exceeding warning criteria.

6.2.2.1 Marine Weather Warning Products. The list of all possible warning products affecting marine areas and subsequent issuance criteria are listed in Table 3.

| Warning Product Name | Issuance Criteria |
|------------------------------|--|
| Ashfall Warning | A warning issued for a volcano undergoing a major eruption where mariners will be affected to a significant extent such as greater than or equal to ¼” of ashfall accumulation, significant debris, lava or lahar flows. |
| Gale Warning | Sustained surface winds, or frequent gusts* in the range of 34 knots to 47 knots inclusive, either predicted or occurring, and not directly associated with a tropical cyclone. |
| Storm Warning | Sustained surface winds, or frequent gusts* in the range of 48 knots to 63 knots inclusive, either predicted or occurring, and not directly associated with a tropical cyclone. |
| Hurricane Force Wind Warning | Sustained winds, or frequent gusts* of 64 knots or greater, either predicted or occurring, and not directly associated with a tropical cyclone. |
| Heavy Freezing Spray Warning | An accumulation of freezing water droplets on a vessel at a rate of 2 cm per hour or greater caused by some appropriate combination of cold water, wind, cold air temperature, and vessel movement. |
| Hazardous Seas Warning | Wave heights and/or wave steepness values meeting or exceeding locally defined warning criteria. |
| Tropical Storm Warning | Sustained winds of 34 to 63 knots are expected somewhere within the specified area within 36 hours in association with a tropical/subtropical, or post-tropical cyclone. |
| Hurricane Warning | For the Atlantic, Eastern Pacific and Central Pacific hurricane basins, an announcement that sustained winds of 64 knots or higher are expected somewhere within the specified area in association with a tropical, subtropical, or post-tropical cyclone. |
| Typhoon Warning | For the Western Pacific hurricane basin, an announcement that sustained winds of 64 knots or higher are expected somewhere within the specified area in association with a tropical, subtropical, or post-tropical cyclone. |

Table 3 Marine Weather Warning Product Table.

*Frequent Gusts: For 2 or more hours during a 12 hour forecast period

6.2.3 Issuance Time. A Marine Weather Warning is an event-driven product and is initially issued when a hazardous marine weather event is expected to meet or exceed local warning criteria. WFOs should issue updated warnings at least once every six to eight hours until the event ends or is canceled.

6.2.4 Valid Time. A Marine Weather Warning is valid up to 36 hours after the issuance time. The valid time (event start and end times) is placed in the P-VTEC line(s) and is described in the warning headline. In extreme cases, the valid time may exceed 36 hours from the time of issuance. For tropical storm, hurricane, and typhoon warnings, an event start time and end time is not explicitly provided because of inherent uncertainties in forecasting tropical cyclones.

6.2.5 Product Expiration Time. The product expiration time is generally 6 to 8 hours after the issuance time and should coincide with the next expected update or when the event is forecast to end. The product expiration time is placed in the UGC line.

6.2.6 Event Ending Time. The event ending time is when the hazardous marine weather event is expected to end. The event ending time can match the product expiration time if the warning is in effect for eight hours or less. The event ending time is placed in the P-VTEC line and is described in the warning headline (e.g., STORM WARNING IN EFFECT UNTIL 9 AM EST TODAY). The event ending time should generally not exceed 36 hours from the time of issuance. See 6.2.4 for tropical exceptions.

6.3 Technical Description. Marine Weather Warnings will follow the format and content described in this section.

6.3.1 UGC Type. Marine Weather Warnings will use the (Z) form of the UGC.

6.3.2 MND Broadcast Instruction Line. Not applicable.

6.3.3 MND Product Type Line. The Marine Weather Warning MND line is “URGENT - MARINE WEATHER MESSAGE”.

6.3.4 Content. The Marine Weather Warning may contain an overview section, but will include segmented forecast information.

6.3.4.1 Overview Section. The Marine Weather Warning overview section is optional. If included, it should contain at least one of the following items:

- a. Overview Headline - a general headline statement that summarizes the hazardous weather threat, area affected and expected time of development. An ellipsis “...” will begin the overview headline.

Examples:

...GALE FORCE WINDS DEVELOPING THIS AFTERNOON AND TONIGHT...
...STORM FORCE WINDS WILL IMPACT THE PACIFIC NORTHWEST COASTAL WATERS LATE TONIGHT AND FRIDAY...

b. Overview - a brief, non-technical description of the developing marine event. The description may include the location and movement of large scale weather features (e.g., fronts, low pressure systems). A period “.” will precede the first line of this descriptive information.

6.3.4.2 Segmented Forecast Information. Each segment of a Marine Weather Warning will include a warning headline. The headline should be followed by a descriptive text describing why the warning was issued. Each segment describes a specific hazardous marine weather event(s) for the same geographical area.

a. Warning Headline. The warning headline should include the following elements in the order shown:

- (1) Leading ellipsis (...)
- (2) Valid marine weather warning product name listed in Table 3
- (3) Event action phrase defined in Table 4
- (4) Appropriate event beginning day and time phrase from Tables 1-3 of NWSI 10-310
- (5) Appropriate event ending day and time phrase from Tables 1-3 of NWSI 10-310.
- (6) Trailing ellipsis (...)

Generic Warning Headline Format:

(1) Warning product issuance time prior to event beginning time:

...<warning product name> <event action phrase> FROM <event beginning date and time phrase> TO <event ending date and time phrase>...

(2) Warning product issuance time equals event beginning time:

...<warning product name> <event action phrase> UNTIL <event ending date and time phrase>...

(3) Warning product cancellation or expiration statement:

...<warning product name> <event action phrase>...

Event Action Phrase. The event action phrase in the warning headline corresponds with the VTEC action code. Only the following event action phrases in Table 4 will be used in marine weather warning headlines:

| VTEC Action Code | Description | Required Event Action Phrase | Include Time/Date? |
|------------------|--|------------------------------|--------------------|
| NEW | Initial warning issuance | IN EFFECT | Yes |
| EXA | Expansion of warning area | IN EFFECT | Yes |
| EXB | Expansion of warning area and change to warning valid time | IN EFFECT | Yes |

| | | | |
|-----|---|-------------------|-----|
| CON | Continuation or update of warning | REMAINS IN EFFECT | Yes |
| EXT | Extend/shorten warning start and/or ending date/time | NOW IN EFFECT | Yes |
| CAN | Warning cancelled prior to event end time | IS CANCELLED | No |
| EXP | Advisory approaching the expiration time. Used up to 30 minutes prior to advisory end time. | WILL EXPIRE AT | Yes |
| | Advisory has expired. Used up to 30 minutes after advisory expiration has passed. | HAS EXPIRED | No |
| UPG | Upgrade – Not applicable | | |

Table 4 Event Action Phrases for Marine Weather Warning Headlines.

a. Warning Headline Examples:

(1) Initial issuance or expansion in area:

...STORM WARNING IN EFFECT FROM 7 AM THIS MORNING TO 11 AM EST WEDNESDAY...

(2) Update:

...STORM WARNING REMAINS IN EFFECT UNTIL 11 AM EST WEDNESDAY...

(3) Change to event end time:

...STORM WARNING NOW IN EFFECT UNTIL 5 PM EST WEDNESDAY...

(4) Cancelled prior to event end time/date:

...STORM WARNING IS CANCELLED...

(5) Expiration statement up to 30 minutes prior to event end time:

...STORM WARNING WILL EXPIRE AT 5 PM EST THIS AFTERNOON...

(6) Expiration statement up to 30 minutes after event end time:

...STORM WARNING HAS EXPIRED...

b. Warning Descriptive Text. This section should include the following warning information:

(1) NWS attribution line. For the initial warning, include the following phrase to begin the text of a warning:

THE NATIONAL WEATHER SERVICE IN [WFO NAME or LOCATION] HAS ISSUED A (e.g., GALE/STORM/HURRICANE FORCE WIND) WARNING.

The attribution line should not appear in subsequent issuances.

- (2) Reason warning was issued. Include marine weather element(s) prompting the warning.
- (3) Quantitative wind speed forecasts (or wave heights, steepness, etc.).
- (4) Definition of a warning when event has not yet begun. Use the following phrase to define a warning:

A (GALE/STORM/HURRICANE FORCE WIND, etc.) WARNING MEANS (HAZARDOUS WEATHER CONDITIONS) ARE IMMINENT OR OCCURRING.

- (5) Brief CTA statements, safety rules.

c. Order of Segments. Marine Weather Warnings are placed second in the order of segments. This order was designed to place the most important and/or time sensitive information near the beginning of the message. The order of segments is:

- (1) Cancellation
- (2) Warnings
- (3) Advisories
- (4) Watches

d. Multiple Headlines. More than one headline is allowed in a segment when two or more marine weather events are forecast to occur for the same UGC or geographical area.

Example:

Gale Warning and Storm Watch in effect for the same geographical area:

...GALE WARNING IN EFFECT UNTIL 9 AM EST THIS MORNING...

...STORM WATCH IN EFFECT FROM THURSDAY AFTERNOON THROUGH FRIDAY AFTERNOON...

6.3.5 Format

| <u>Product Format</u> | <u>Description of Entry</u> |
|--|--------------------------------------|
| WHAaii cccc ddhhmm | (WMO Header) |
| MWWxxx | (AWIPS ID) |
| URGENT - MARINE WEATHER MESSAGE | (Product Name or MND) |
| NATIONAL WEATHER SERVICE city state | (Issuing Office) |
| time am/pm time_zone day mon dd yyyy | (Issuance time/date) |
| ...<Overview headline statement>... | (Optional) |
| <General marine weather synopsis> | (Optional - one to three paragraphs) |
| mmZxxx-xxx-xxx-ddhhmm- | (UGC: <u>Z</u> & expiration time) |
| /k.aaa.cccc.pp.s.####.yymmddThhnnZB-yymmddThhnnZE/ | (P-VTEC Line(s)) |
| zone-zone-zone- time am/pm time_zone day mon dd yyyy | (Zone Names) |
| ...WARNING HEADLINE... | (Issuance time/date) |
| <Descriptive Text> | |
| Includes the following information: | (Two to three paragraphs) |
| 1. NWS attribution line (<i>Initial issuance only</i>) | |
| 2. Why warning was issued (marine weather element(s) prompting the warning) | |
| 3. Timing of the event (beginning, ending, timing of worst conditions, duration) | |
| PRECAUTIONARY/PREPAREDNESS ACTIONS... | |
| 4. Definition of a warning (before event begins) | (Start of CTA Marker) |
| 5. Potential impact, call to action statement. | |
| && | (End of CTA Marker) |
| \$\$ | (UGC Delimiter) |
| Name/Initials/Forecaster ID | (Optional after last segment) |

Figure 2 Generic Format for a Marine Weather Warning.

6.4 Updates, Cancellations, and Corrections. WFOs will update Marine Weather Warnings at least once every six to eight hours until the event ends or is canceled. WFOs should issue the updated MWW before the product expiration time is reached. Frequent updates help to keep our users and partners informed on the current and short term aspects of the hazardous weather event. Update warnings whenever there is a change in timing, areal extent, or expected conditions.

WFOs will issue a MWW to cancel a warning when the forecaster believes the weather threat has diminished before the valid time expires.

WFOs will issue correction statements for format or grammatical errors as required. To reduce format or grammatical errors, forecasters should proofread the product before transmission.

6.5 Downgrade Warning to Advisory. When a Marine Weather Warning is downgraded to a Marine Weather Advisory or a lower level warning (e.g., Storm Warning to Gale Warning) for the same geographical area, the MWW segment will contain two P-VTEC lines.

6.5.1 Downgrade Warning to Advisory Segment Example

LHZ421-422-441>443-032230-

/O.CAN.KDTX.GL.W.0003.000000T0000Z-040103T2300Z/ (P-VTEC line 1)

/O.NEW.KDTX.SC.Y.0050.040103T0900Z-040103T2300Z/ (P-VTEC line 2)

OUTER SAGINAW BAY-INNER SAGINAW BAY- PORT AUSTIN TO HARBOR BEACH
MI-HARBOR BEACH TO PORT SANILAC MI- PORT SANILAC TO PORT HURON MI-
400 AM EST SAT JAN 3 2004

...SMALL CRAFT ADVISORY IN EFFECT UNTIL 6 PM EST THIS EVENING...

...GALE WARNING IS CANCELLED...

(Two headlines used - lists new advisory, then cancelled warning)

<descriptive text>

\$\$

7 Marine Weather Advisories (product category MWW)

7.1 Mission Connection. Marine Weather Advisories provide our users and partners advance notice of hazardous marine weather events which could lead to life-threatening situations if caution is not exercised.

7.2 Issuance Guidelines

7.2.1 Creation Software. WFOs will use AWIPS GHG as the primary software to create and issue Marine Weather Advisories.

7.2.2 Issuance Criteria. WFOs should issue Marine Weather Advisories for hazardous marine weather events that cause significant inconveniences and, if caution is not exercised, could lead to life-threatening situations over part or all of the forecast area.

WFOs should issue Marine Weather Advisories for the first, second, third, or occasionally fourth forecast periods, when there is high confidence of a hazardous marine weather event meeting or exceeding local advisory criteria.

7.2.2.1 Marine Weather Advisory Products. The list of all possible advisory products affecting marine areas and subsequent issuance criteria are listed in Table 5.

| Advisory Product Name | Issuance Criteria |
|---|--|
| Ashfall Advisory | An advisory issued for a volcano undergoing a minor eruption where there is the potential that mariners could be affected by a limited hazard extent such as less than ¼” of ashfall accumulation, pumice rafts or some floating debris. |
| Brisk Wind Advisory | Small Craft Advisory winds expected for ice covered waters. |
| Dense Fog Advisory | Widespread or localized fog reducing visibilities to 1 nautical mile or less (regionally or locally defined)**. |
| Dense Smoke Advisory | Widespread or localized smoke reducing visibilities to 1 nautical mile or less (regionally or locally defined)**. |
| Freezing Spray Advisory | Light to moderate accumulation of ice is expected on vessels. |
| Low Water Advisory | Water levels are significantly below average and may cause impact to safe marine navigation. The need for this product is locally determined**. |
| Small Craft Advisory | Sustained wind speeds or frequent gusts* of 20 to 33 knots (regionally defined**) and/or seas or waves 4 feet and greater (locally defined**). |
| Small Craft Advisory for Hazardous Seas | Wind speeds are lower than small craft advisory criteria, yet waves or seas are potentially hazardous due to wave period, steepness, or swell direction. The criteria are regionally defined**. |
| Small Craft Advisory for Rough Bar | Waves in or near bars are hazardous to mariners due to the interaction of swell, tidal or river currents in relatively shallow water. Threshold criteria are locally defined** and are specific to local geographic areas, and are based upon parameters such as wave steepness, wind speed and direction, and local bathymetry. |
| Small Craft Advisory for Winds | When wave heights and/or wave steepness are lower than Small Craft Advisory criteria, yet wind speeds are potentially hazardous. |

Table 5 Marine Weather Advisory Product Table.

*Frequent Gusts: For 2 or more hours during a 12 hour forecast period

**Refer to NWSI 10-303 (Appendix A) for Regional and Local Criteria

7.2.3 Issuance Time. Advisories are event-driven products and are initially issued when a hazardous marine weather event is expected to meet or exceed local advisory criteria. WFOs should issue updated advisories at least once every six to eight hours until the event ends or is canceled.

7.2.4 Valid Time. A Marine Weather Advisory is valid up to 36 hours after the issuance time. The valid time (event start and end times) is placed in the P-VTEC line(s) and is described in the warning headline. In extreme cases, the valid time may exceed 36 hours from the time of issuance.

7.2.5 Product Expiration Time. The product expiration time should be 6 to 8 hours after the issuance time and should coincide with the next expected update or when the event is forecast to end. The product expiration time is placed in the UGC line.

7.2.6 Event Ending Time. The event ending time is when the hazardous marine weather event is expected to end. The event ending time can match the product expiration time if the advisory is in effect for eight hours or less. The event ending time is placed in the P-VTEC line and is described in the advisory headline (e.g., SMALL CRAFT ADVISORY IN EFFECT UNTIL 9 AM EST MONDAY). The event ending time should generally not exceed 36 hours from the time of issuance.

7.3 Technical Description. Marine Weather Advisories will follow the format and content described in this section.

7.3.1 UGC Type. Marine Weather Advisories will use the (Z) form of the UGC.

7.3.2 MND Broadcast Instruction Line. Not applicable.

7.3.3 MND Product Type Line. The Marine Weather Advisory MND line is “URGENT - MARINE WEATHER MESSAGE”.

7.3.4 Content. The Marine Weather Advisory may contain an overview section, but will include segmented forecast information.

7.3.4.1 Overview Section. The advisory overview section is optional. If included, it should contain at least one of the following items:

- a. Overview Headline – a general headline statement that summarizes the hazardous weather threat, area affected and estimated time of development. The overview headline will begin and end with three periods “...”.

For example:

...DENSE FOG EXPECTED ACROSS PARTS OF SOUTHERN LAKE MICHIGAN
SHORELINE TONIGHT...

b. Overview – a brief, non-technical description of the developing marine weather event. The description may include the location and movement of large scale weather features (e.g., fronts, low pressure systems). A period “.” will precede the first line of this descriptive information.

7.3.4.2 Segmented Forecast Information. Each segment of a Marine Weather Advisory will include the advisory headline. The headline should be followed by a descriptive text describing why the advisory was issued. Each segment describes a specific hazardous marine weather event(s) for the same geographical area.

a. Advisory Headline. The advisory headline should include the following elements in the order shown:

- (1) Leading ellipsis (...)
- (2) Valid marine weather advisory product name listed in Table 5
- (3) Event action phrase defined in Table 6
- (4) Appropriate event beginning day and time phrase from Tables 1-3 of NWSI 10-310
- (5) Appropriate event ending day and time phrase from Tables 1-3 of NWSI 10-310
- (6) Trailing ellipsis (...)

Generic Advisory Headline Format:

- (1) Advisory product issuance time prior to event beginning time:
...<advisory product name> <event action phrase> FROM <event beginning date and time phrase> TO <event ending date and time phrase>...
- (2) Advisory product issuance time equals event beginning time:
...<advisory product name> <event action phrase> UNTIL <event ending date and time phrase>...
- (3) Advisory product cancellation or expiration statement:
...<advisory product name> <event action phrase>...

Event Action Phrase. The event action phrase in the advisory headline corresponds with the VTEC action code. Only the following event action phrases in Table 6 will be used in marine weather advisory headlines:

| VTEC Action Code | Description | Required Event Action Phrase | Include Time/Date? |
|------------------|---|------------------------------|--------------------|
| NEW | Initial advisory issuance | IN EFFECT | Yes |
| EXA | Expansion of advisory area | IN EFFECT | Yes |
| EXB | Expansion of advisory area and change to advisory valid time | IN EFFECT | Yes |
| CON | Continuation or update of advisory | REMAINS IN EFFECT | Yes |
| EXT | Extend/shorten advisory start and/or ending date/time | NOW IN EFFECT | Yes |
| CAN | Advisory cancelled prior to event end time | IS CANCELLED | No |
| EXP | Advisory approaching the expiration time. Used up to 30 minutes prior to advisory end time. | WILL EXPIRE AT | Yes |
| | Advisory has expired. Used up to 30 minutes after advisory expiration has passed. | HAS EXPIRED | No |
| UPG | Upgrade to warning - no headline | | |

Table 6 Event Action Phrases for Marine Weather Advisory Headlines.

a. Advisory Headline Examples:

(1) Initial issuance or expansion in area:

...SMALL CRAFT ADVISORY IN EFFECT FROM 7 AM THIS MORNING TO 11 AM EST WEDNESDAY...

(2) Update:

...SMALL CRAFT ADVISORY REMAINS IN EFFECT UNTIL 11 AM EST WEDNESDAY...

(3) Extend event end time:

...SMALL CRAFT ADVISORY NOW IN EFFECT UNTIL 5 PM EST WEDNESDAY...

(4) Cancelled prior to event end time/date:

...SMALL CRAFT ADVISORY IS CANCELLED...

(5) Expiration statement up to 30 minutes prior to event end time:
...SMALL CRAFT ADVISORY WILL EXPIRE AT 5 PM EST THIS AFTERNOON...

(6) Expiration statement up to 30 minutes after event end time:
...SMALL CRAFT ADVISORY HAS EXPIRED...

b. Advisory Descriptive Text. This section should include the following advisory information:

(1) NWS attribution line. For the **initial** advisory, include the following phrase to begin the text of the advisory:

THE NATIONAL WEATHER SERVICE IN [WFO NAME or LOCATION] HAS ISSUED A (e.g., DENSE FOG/SMALL CRAFT) ADVISORY.

The attribution line should not appear in subsequent issuances.

(2) Reason advisory was issued. Include marine weather element(s) prompting the advisory.

(3) Quantitative wind speed forecasts (or wave heights, steepness, etc.).

(4) Brief CTA statements, safety rules.

c. Order of Segments. Advisories are placed third in the order of segments. This order was designed to place the most important and/or time sensitive information near the beginning of the message. The order of segments is:

- (1) Cancellation
- (2) Warnings
- (3) Advisories
- (4) Watches

d. Multiple Headlines. More than one headline is allowed in a segment when two or more marine weather events are forecast to occur for the same UGC or geographical area. However, duplicate Small Craft Advisories (one for winds and one for seas) is not allowed in the same area at the same time. A generic Small Craft Advisory will instead be issued.

Example: Dense Fog Advisory and Storm Watch in effect for the same geographical area:

...DENSE FOG ADVISORY IN EFFECT UNTIL 9 AM EST THIS MORNING...
...STORM WATCH IN EFFECT FROM THURSDAY AFTERNOON TO FRIDAY AFTERNOON...

7.3.5 Format

| <u>Product Format</u> | <u>Description of Entry</u> |
|--|---|
| WHAaii cccc ddhhmm MWWxxx | <i>(WMO Header)</i> <i>(AWIPS ID)</i> |
| URGENT - MARINE WEATHER MESSAGE NATIONAL WEATHER SERVICE city state time am/pm time_zone day mon dd yyyy | <i>(Product Name or MND)</i> <i>(Issuing Office)</i> <i>(Issuance time/date)</i> |
| ...<Overview headline statement>... | <i>(Optional)</i> |
| <General marine weather synopsis> | <i>(Optional - one to three paragraphs)</i> |
| mmZxxx-xxx-xxx-ddhhmm- /k.aaa.cccc.pp.s.####.yymmddThhnnZB-yymmddThhnnZE/ zone-zone-zone- time am/pm time_zone day mon dd yyyy | <i>(UGC: <u>Z</u> & expiration time)</i> <i>(P-VTEC Line(s))</i> <i>(Zone Names)</i> <i>(Issuance time/date)</i> |
| ...ADVISORY HEADLINE... | |
| <Descriptive text> Includes the following information: 1. NWS attribution line <i>(Initial issuance only)</i> 2. Why advisory was issued (marine weather element(s) prompting the advisory) 3. Timing of the event (beginning, ending, timing of worst conditions, duration) | <i>(Two to three paragraphs)</i> |
| PRECAUTIONARY/PREPAREDNESS ACTIONS... | <i>(Start of CTA Marker)</i> |
| 4. Definition of an advisory (before event begins) 5. Potential impact, call to action statement. | |
| && | <i>(End of CTA Marker)</i> |
| \$\$ | <i>(UGC Delimiter)</i> |
| Name/Initials/Forecaster ID | <i>(Optional after last segment)</i> |

Figure 3 Generic Format for a Marine Weather Advisory.

7.4 Updates, Amendments, and Corrections. WFOs will update advisories at least once every six to eight hours until the event ends or is canceled. WFOs should issue the updated MWW before the product expiration time is reached. The frequent updates help to keep our users and partners informed on the current and short term aspects of the marine weather event. Update advisories whenever there is a change in timing, areal extent, or expected conditions.

WFOs will issue a MWW to cancel an advisory when the forecaster believes the weather threat has diminished before the valid time expires.

WFOs will issue correction statements for format or grammatical errors as required. To reduce format or grammatical errors, forecasters should proofread the product before transmission.

7.5 Upgrade Advisory to Warning. When a Marine Weather Advisory is upgraded to a Marine Weather Warning for the same geographical area, the MWW segment will contain one headline and two P-VTEC lines. The headline will list the new warning only. The first P-VTEC line will use the UPG action code to show the old advisory is being upgraded. The second P-VTEC line will either use the NEW action code to start the new warning, or use the EXA or EXB action code to extend an existing advisory into this geographical area.

7.5.1 Upgrade Advisory to Warning Segment Example

PZZ350-356-370-376-092300-
/O.UPG.KMFR.SW.Y.0051.000000T0000Z-070310T0500Z/ (*P-VTEC line 1*)
/O.NEW.KMFR.GL.W.0003.070309T1600Z-070310T0500Z/ (*P-VTEC line 2*)
COASTAL WATERS FROM FLORENCE TO CAPE BLANCO OR OUT 20 NM-
COASTAL WATERS FROM CAPE BLANCO OR TO PT. ST. GEORGE CA OUT 20 NM-
WATERS FROM FLORENCE TO CAPE BLANCO OR FROM 20 TO 60 NM-
WATERS FROM CAPE BLANCO OR TO PT. ST. GEORGE CA FROM 20 TO 60 NM-
705 AM PST FRI MAR 9 2007

...GALE WARNING IN EFFECT UNTIL 9 PM PST THIS EVENING...

(One headline used - lists new warning only)

<descriptive text>

APPENDIX A - Marine Weather Message Product Examples Table of Contents

1 Introduction..... A-1

2 Marine Weather Watch and Warning Examples A-1

2.1 Gale Watch..... A-1

2.2 Gale Warning A-2

2.3 Hurricane Force Wind Warning..... A-3

2.4 Ashfall Warning..... A-4

3 Marine Weather Advisory Examples..... A-5

3.1 Small Craft Advisory A-5

3.2 Small Craft Advisory for Rough Bar A-7

4 Cancellation Product Example A-8

4.1 Canceled Small Craft Advisory A-8

5 Hurricane Watch Example.....A-8

5.1 Hurricane Watch.....A-8

1 Introduction. This section contains guidelines and examples of MWW products.

2 Marine Weather Watch and Warning Examples

2.1 Gale Watch. An example of a continuation of a Gale Watch.

WHUS73 KMQT 241509
MWWMQT

URGENT - MARINE WEATHER MESSAGE
NATIONAL WEATHER SERVICE MARQUETTE MI
1109 AM EDT THU MAY 24 2012

LSZ263-264-266-242315-
/O.CON.KMQT.GL.A.0015.120525T0600Z-120525T1600Z/
LAKE SUPERIOR FROM SAXON HARBOR WI TO UPPER ENTRANCE TO PORTAGE
CANAL MI 5NM OFF SHORE TO THE US/CANADIAN BORDER INCLUDING ISLE
ROYALE NATIONAL PARK-LAKE SUPERIOR FROM UPPER ENTRANCE TO PORTAGE
CANAL TO MANITOU ISLAND MI 5NM OFF SHORE TO THE US/CANADIAN BORDER-
LAKE SUPERIOR EAST OF A LINE FROM MANITOU ISLAND TO MARQUETTE MI
AND WEST OF A LINE FROM GRAND MARAIS MI TO THE US/CANADIAN BORDER
BEYOND 5NM FROM SHORE-

1109 AM EDT THU MAY 24 2012

...GALE WATCH REMAINS IN EFFECT FROM LATE TONIGHT THROUGH FRIDAY MORNING...

* WIND AND WAVES DURING THE GALE WATCH...EXPECT SUSTAINED WINDS OF UP TO 32 KNOTS FROM THE SOUTHWEST...WITH GUSTS UP TO 34 KNOTS. THE LARGEST EXPECTED SIGNIFICANT WAVES WILL BE 9 FEET WITH A MAXIMUM WAVE HEIGHT OF UP TO 14 FEET POSSIBLE.

* TIMING...THE MAXIMUM WINDS ARE EXPECTED AROUND 8 AM EDT FRIDAY WITH THE LARGEST WAVES EXPECTED AROUND 11 AM EDT FRIDAY.

PLEASE SEE THE LATEST MARINE FORECASTS FOR MORE DETAILED INFORMATION.

PRECAUTIONARY/PREPAREDNESS ACTIONS...

A GALE WATCH IS ISSUED WHEN THE RISK OF GALE FORCE WINDS OF 34 TO 47 KNOTS HAS SIGNIFICANTLY INCREASED...BUT THE SPECIFIC TIMING AND/OR LOCATION IS STILL UNCERTAIN. IT IS INTENDED TO PROVIDE ADDITIONAL LEAD TIME FOR MARINERS WHO MAY WISH TO CONSIDER ALTERING THEIR PLANS.

&&

\$\$

2.2 Gale Warning. An example of a Gale Warning, first issuance. NWS attribution line is mandatory.

WHUS76 KPQR 220940
MWWPQR

URGENT - MARINE WEATHER MESSAGE
NATIONAL WEATHER SERVICE PORTLAND OR
240 AM PDT TUE MAY 22 2012

PZZ250-255-270-275-221745-
/O.UPG.KPQR.GL.A.0016.120522T1800Z-120523T0000Z/
/O.NEW.KPQR.GL.W.0034.120522T1700Z-120523T0500Z/
COASTAL WATERS FROM CAPE SHOALWATER WA TO CASCADE HEAD OR OUT 10
NM-COASTAL WATERS FROM CASCADE HEAD TO FLORENCE OR OUT 10 NM-
WATERS FROM CAPE SHOALWATER WA TO CASCADE HEAD OR FROM 10 TO 60
NM-WATERS FROM CASCADE HEAD TO FLORENCE OR FROM 10 TO 60 NM-
240 AM PDT TUE MAY 22 2012

...GALE WARNING IN EFFECT FROM 10 AM THIS MORNING TO 10 PM PDT THIS EVENING...

THE NATIONAL WEATHER SERVICE IN PORTLAND HAS ISSUED A GALE WARNING...WHICH IS IN EFFECT FROM 10 AM THIS MORNING TO 10 PM PDT THIS EVENING. THIS REPLACES THE GALE WATCH WHICH WAS PREVIOUSLY IN EFFECT.

* WINDS...S WINDS INCREASING TO 20 TO 30 KT BY MIDDAY WITH GUSTS TO 40 KT. WINDS WILL SHIFT MORE WESTERLY LATER THIS AFTERNOON...WITH GUSTS TO 35 KT CONTINUING INTO THIS EVENING.

* SEAS...STEEP...MAINLY WIND-DRIVEN SEAS OF 10 TO 12 FT ARE EXPECTED THIS AFTERNOON. SEAS WILL EVENTUALLY BECOMING A LONGER PERIOD WEST SWELL LATER THIS AFTERNOON AND EVENING. SEAS WILL SUBSIDE BELOW 10 FT LATER TONIGHT OR EARLY WEDNESDAY.

PRECAUTIONARY/PREPAREDNESS ACTIONS...

A GALE WARNING MEANS WINDS OF 34 TO 47 KNOTS ARE IMMINENT OR OCCURRING. OPERATING A VESSEL IN GALE CONDITIONS REQUIRES EXPERIENCE AND PROPERLY EQUIPPED VESSELS. IT IS HIGHLY RECOMMENDED THAT MARINERS WITHOUT THE PROPER EXPERIENCE SEEK SAFE HARBOR PRIOR TO THE ONSET OF GALE CONDITIONS.

&&

\$\$

2.3 Hurricane Force Wind Warning. An example of a continuation of a Hurricane Force Wind Warning.

WHUS76 KPQR 120949
MWWPQR

URGENT - MARINE WEATHER MESSAGE
NATIONAL WEATHER SERVICE PORTLAND OR
249 AM PDT MON MAR 12 2012

...A HURRICANE FORCE WIND WARNING REMAINS IN EFFECT UNTIL 1 PM PDT THIS AFTERNOON...

* WINDS...SOUTH WIND RISING TO 40 TO 50 KT WITH GUSTS TO 70 KT TONIGHT AND MONDAY MORNING AND EARLY AFTERNOON. THE STRONGEST WIND SHOULD OCCUR MONDAY MORNING.

* SEAS...COMBINED SEAS ARE LIKELY TO BUILD TO 32 FEET...POSSIBLY TO 35 FEET IN THE OUTER WATERS...EARLY MONDAY MORNING...THEN EASE TO THE MID 20S IN THE AFTERNOON...AND THEN AROUND 20 FEET BY EARLY MONDAY EVENING. SEAS WILL BE QUITE CHOPPY WITH A HIGH SOUTH TO SOUTHWEST WIND WAVE COMPONENT...AND A WEST LONGER PERIOD SWELL COMPONENT.

PRECAUTIONARY/PREPAREDNESS ACTIONS...

A HURRICANE FORCE WIND WARNING MEANS WINDS OF 64 KNOTS OR GREATER ARE IMMINENT OR OCCURRING. ALL VESSELS SHOULD REMAIN IN PORT...OR TAKE SHELTER AS SOON AS POSSIBLE...UNTIL WINDS AND WAVES SUBSIDE.

&&

\$\$

2.4 Ashfall Warning. An example of an Ashfall Warning, first issuance. NWS attribution line is mandatory.

WHUS76 KSEA 071340
MWWSEA

URGENT - MARINE WEATHER MESSAGE
NATIONAL WEATHER SERVICE SEATTLE WA
640 AM PDT FRI MAY 7 2012

PZZ135-072200-
/O.NEW.KSEW.MH.W.0012.100507T1340Z-100508T0400Z/
PUGET SOUND AND HOOD CANAL-
640 AM PDT FRI MAY 7 2012

...ASHFALL WARNING IN EFFECT UNTIL 9 PM PDT TONIGHT...

THE NATIONAL WEATHER SERVICE IN SEATTLE HAS ISSUED AN ASHFALL WARNING...WHICH IS IN EFFECT UNTIL 9 PM PDT THIS EVENING.

* LOCATION....THE CASCADES VOLCANO OBSERVATORY REPORTS STRONG SEISMICITY INDICATIVE OF AN EXPLOSIVE ERUPTION AT MOUNT RAINIER VOLCANO IN THE CASCADE RANGE. SATELLITE ANALYSIS INDICATES A VENT AT THE SUMMIT OF MOUNT RAINIER.

* IMPACTS...HEAVY ASHFALL IS OCCURRING WEST OF THE VOLCANO. DEBRIS AND MUD FLOWS ARE EXPECTED IN COMMENCEMENT BAY. VESSELS SHOULD AVOID THE IMMEDIATE AREA AND ALSO BE ALERT FOR FLOATING PUMICE.

* TIMING...ASHFALL WARNING IN EFFECT UNTIL 9 PM THIS EVENING.

PRECAUTIONARY/PREPAREDNESS ACTIONS...

AN ASHFALL WARNING MEANS THAT THE VOLCANO IS UNDERGOING A MAJOR ERUPTION. IT IS VERY LIKELY THAT MARINERS WILL BE AFFECTED BY VOLCANIC HAZARDS IN THE WARNING AREA SUCH AS SIGNIFICANT DEBRIS...GREATER THAN ONE QUARTER OF AN INCH OF ASHFALL...LAVA...OR LAHAR AND DEBRIS FLOWS.

ASH IS AN EYE AND RESPIRATORY IRRITANT AND IS ABRASIVE. THOSE WITH RESPIRATORY SENSITIVITIES SHOULD TAKE EXTRA PRECAUTIONS TO MINIMIZE EXPOSURE. PROTECT ELECTRONICS AND COVER AIR INTAKES IF ASH FALL IS EXPECTED OR CONFIRMED. REMOVE ASH FROM SURFACES WITH WATER IF POSSIBLE TO PREVENT EXCESSIVE ACCUMULATION.

ADDITIONAL INFORMATION IS AVAILABLE AT VULCAN.WR.USGS.GOV.

&&

\$\$

3 Marine Weather Advisory Examples

3.1 Small Craft Advisory. An example of a Small Craft Advisory, first issuance. The NWS attribution line is mandatory.

WHUS71 KBOX 260828
MWWBOX

URGENT - MARINE WEATHER MESSAGE
NATIONAL WEATHER SERVICE TAUNTON MA
428 AM EDT THU JUN 26 2014

ANZ254-261630-
/O.NEW.KBOX.SC.Y.0078.140627T0400Z-140627T2200Z/
COASTAL WATERS FROM PROVINCETOWN MA TO CHATHAM MA TO NANTUCKET
MA
OUT 20 NM-
428 AM EDT THU JUN 26 2014

...SMALL CRAFT ADVISORY IN EFFECT FROM MIDNIGHT TONIGHT TO 6 PM EDT
FRIDAY...

THE NATIONAL WEATHER SERVICE IN TAUNTON HAS ISSUED A SMALL CRAFT ADVISORY...WHICH IS IN EFFECT FROM MIDNIGHT TONIGHT TO 6 PM EDT FRIDAY.

* WINDS AND SEAS...NORTH WINDS 10 TO 15 KT WITH GUSTS UP TO 20 KT. SEAS 3 TO 5 FEET.

PRECAUTIONARY/PREPAREDNESS ACTIONS...

A SMALL CRAFT ADVISORY MEANS THAT WIND SPEEDS OF 25 TO 33 KNOTS ARE EXPECTED TO PRODUCE HAZARDOUS WAVE CONDITIONS TO SMALL CRAFT. INEXPERIENCED MARINERS...ESPECIALLY THOSE OPERATING SMALLER VESSELS SHOULD AVOID NAVIGATING IN THESE CONDITIONS.

&&

\$\$

ANZ255-261630-
/O.NEW.KBOX.SC.Y.0078.140627T1000Z-140627T2200Z/
COASTAL WATERS EXTENDING OUT TO 25 NM SOUTH OF MARTHAS VINEYARD
AND NANTUCKET-
428 AM EDT THU JUN 26 2014

...SMALL CRAFT ADVISORY IN EFFECT FROM 6 AM TO 6 PM EDT FRIDAY...

THE NATIONAL WEATHER SERVICE IN TAUNTON HAS ISSUED A SMALL CRAFT ADVISORY...WHICH IS IN EFFECT FROM 6 AM TO 6 PM EDT FRIDAY.

* WINDS AND SEAS...NORTH WINDS 10 TO 15 KT WITH GUSTS UP TO 20 KT. SEAS 3 TO 5 FEET.

PRECAUTIONARY/PREPAREDNESS ACTIONS...

A SMALL CRAFT ADVISORY MEANS THAT WIND SPEEDS OF 25 TO 33 KNOTS ARE EXPECTED TO PRODUCE HAZARDOUS WAVE CONDITIONS TO SMALL CRAFT. INEXPERIENCED MARINERS...ESPECIALLY THOSE OPERATING SMALLER VESSELS SHOULD AVOID NAVIGATING IN THESE CONDITIONS.

&&

\$\$

FOR THE LATEST UPDATES...PLEASE VISIT OUR WEBPAGE AT
WWW.WEATHER.GOV/BOSTON.

YOU CAN FOLLOW US ON FACEBOOK AT
WWW.FACEBOOK.COM/US.NATIONALWEATHERSERVICE.BOSTON.GOV.

YOU CAN FOLLOW US ON TWITTER AT @NWSBOSTON.

3.2 Small Craft Advisory for Rough Bar. An example of a Small Craft Advisory for Rough Bar.

PZZ210-261500-
/O.CON.KPQR.RB.Y.0107.000000T0000Z-140626T1500Z/
COLUMBIA RIVER BAR-
300 AM PDT THU JUN 26 2014

...SMALL CRAFT ADVISORY FOR ROUGH BAR REMAINS IN EFFECT UNTIL 8 AM
PDT THIS MORNING...

* IN THE MAIN CHANNEL...

* GENERAL SEAS: 2 TO 4 FT THROUGH THURSDAY.

* FIRST EBB: SEAS WILL TEMPORARILY BUILD TO 7 FT WITH BREAKERS DURING
THE STRONG EBB AROUND 445 AM.

* SECOND EBB: SEAS WILL TEMPORARILY BUILD TO 5 FT DURING THE WEAKER
EBB AROUND 515 PM.

PRECAUTIONARY/PREPAREDNESS ACTIONS...

A SMALL CRAFT ADVISORY FOR ROUGH BAR MEANS THAT WAVE CONDITIONS
ARE EXPECTED TO BE HAZARDOUS TO SMALL CRAFT IN OR NEAR HARBOR
ENTRANCES.

&&

\$\$

4 Cancellation Product Example

4.1 Cancelled Small Craft Advisory. An example of a cancelled Small Craft Advisory for Winds.

WHUS76 KSGX 181457
MWSGX

URGENT - MARINE WEATHER MESSAGE
NATIONAL WEATHER SERVICE SAN DIEGO CA
757 AM PDT FRI MAY 18 2012

PZZ775-181600-
/O.CAN.KSGX.SI.Y.0012.000000T0000Z-120519T0300Z/
WATERS FROM SAN MATEO POINT TO THE MEXICAN BORDER EXTENDING 30 TO
60 NM OUT INCLUDING SAN CLEMENTE ISLAND-
757 AM PDT FRI MAY 18 2012

...SMALL CRAFT ADVISORY FOR WINDS IS CANCELLED...

THE NATIONAL WEATHER SERVICE IN SAN DIEGO HAS CANCELLED THE SMALL
CRAFT ADVISORY FOR WINDS.

WINDS ARE EXPECTED TO REMAIN BELOW 25 KNOTS OVER THE OUTER WATERS
TODAY.

&&

\$\$

5 Hurricane Watch Example

5.1 Hurricane Watch

WHUS72 KMFL 222106
MWWMFL

URGENT - MARINE WEATHER MESSAGE
NATIONAL WEATHER SERVICE MIAMI FL
506 PM EDT SAT OCT 22 2005

AMZ610-630-650-651-670-671-GMZ656-657-676-230515-
/O.NEW.KMFL.HU.A.1024.051022T2106Z-000000T0000Z/
LAKE OKEECHOBEE-BISCAYNE BAY-
COASTAL WATERS FROM JUPITER INLET TO DEERFIELD BEACH FL OUT 20 NM-

COASTAL WATERS FROM DEERFIELD BEACH TO OCEAN REEF FL OUT 20 NM-
WATERS FROM JUPITER INLET TO DEERFIELD BEACH FL FROM 20 TO 60 NM-
WATERS FROM DEERFIELD BEACH TO OCEAN REEF FL FROM 20 TO 60 NM
EXCLUDING THE TERRITORIAL WATERS OF BAHAMAS-
COASTAL WATERS FROM CHOKOLOSKEE TO BONITA BEACH FL OUT 20 NM-
COASTAL WATERS FROM EAST CAPE SABLE TO CHOKOLOSKEE FL OUT 20 NM-
WATERS FROM CHOKOLOSKEE TO BONITA BEACH FL FROM 20 TO 60 NM-
506 PM EDT SAT OCT 22 2005

...HURRICANE WATCH IN EFFECT...

THE NATIONAL WEATHER SERVICE IN MIAMI HAS ISSUED A HURRICANE WATCH.

* WINDS...ACCORDING TO THE LATEST FORECAST...PEAK SUSTAINED WINDS ARE FORECAST TO 105 KNOTS ASSOCIATED WITH THE CORE OF MAJOR HURRICANE WILMA. GUSTS TO 125 KNOTS ARE POSSIBLE.

* WAVES/SEAS...HIGHEST SEAS ARE FORECAST TO BUILD TO 24 TO 28 FEET AS WILMA APPROACHES THE SOUTHWEST FLORIDA COAST.

THERE IS AN EXTREME THREAT TO MARINERS. AT BEAUFORT SCALE 10...VERY HIGH WAVES WITH LONG OVERHANGING CRESTS FORM. VISIBILITY IS GREATLY REDUCED FROM BLOWING DENSE FOAM AND SPRAY. AT BEAUFORT SCALE 12...MEDIUM SIZED SHIPS MAY BE LOST TO VIEW BEHIND EXCEPTIONALLY HIGH WAVES AS THE AIR FILLS WITH FOAM AND SPRAY. BAY AND INLAND WATERS BECOME EXTREMELY ROUGH.

PRECAUTIONARY/PREPAREDNESS ACTIONS...

A HURRICANE WATCH IS ISSUED WHEN SUSTAINED WINDS OF 64 KTS OR HIGHER ASSOCIATED WITH A HURRICANE ARE POSSIBLE WITHIN 48 HOURS.

&&

\$\$