

**NATIONAL WEATHER SERVICE INSTRUCTION 10-204
NOVEMBER 10, 2009**

**Operations and Services
Digital Services Specification, NWSPD 10-2
DERIVED FORECAST TEXT PRODUCTS SPECIFICATIONS**

NOTICE: This publication is available at: <http://www.nws.noaa.gov/directives/>.

OPR: W/OS22 (A. Horvitz)

Certified by: W/OS22 (E. Jacks)

Type of Issuance: Initial

_____ signed _____ 10/28/09
David B. Caldwell Date
Director, Office of Climate
Water, and Weather Services

WFO Derived Forecast Text Products Specifications

<u>Table of Contents:</u>	<u>Page</u>
1. Introduction.....	4
2. Product Preparation.....	4
3. Formatters	4
4. Consistency of Information.....	4
5. <u>Product Format and Specification.</u>	4
5.1 Zone Forecast Product (product category ZFP).....	4
5.1.1 Mission Connection.....	4
5.1.2 Issuance Criteria	4
5.1.3 Valid and Expiration Time	5
5.1.4 Format.....	5
5.1.5 Product Specification.....	5
5.2 Point Forecast Matrices (product category PFM).....	5
5.2.1 Mission Connection.....	5
5.2.2 Issuance Criteria	5
5.2.3 Valid and Expiration Time	5
5.2.4 Format.....	5
5.2.5 Product Specification Document.....	5
5.3 Area Forecast Matrices (product category AFM).....	6
5.3.1 Mission Connection.....	6
5.3.2 Issuance Criteria	6
5.3.3 Valid and Expiration Time	6
5.3.4 Format.....	6
5.3.5 Product Specification Document.....	7
5.4 Coded Cities Forecast (product category CCF).....	7
5.4.1 Mission Connection.....	7
5.4.2 Issuance Criteria	7
5.4.3 Valid and Expiration Time	7
5.4.4 Format.....	7
5.4.5 Product Specification Document.....	7
5.4.6 Examples	7
5.5 State Forecast Product (product category SFP).....	7
5.5.1 Mission Connection.....	7
5.5.2 Issuance Criteria	7
5.5.3 Valid and Expiration Time	8
5.5.4 Format.....	8
5.5.5 Product Specification Document.....	8
5.5.6 Examples	8

- 5.6 Tabular State Forecast Product (product category **SFT**).....8
 - 5.6.1 Mission Connection.....8
 - 5.6.2 Issuance Criteria.....8
 - 5.6.3 Valid Time.....8
 - 5.6.4 Format.....8
 - 5.6.5 Product Specification Document.....8

1. **Introduction.** This procedural directive provides product specifications for the main alphanumeric (public) text-based forecast products issued by the National Weather Service (NWS) Weather Forecast Offices (WFOs). Specifications include the guidelines associated with these products, detailed content, and format for each product type.

2. **Product Preparation.** All derived text products issued from digital databases will be formatted using Gridded Forecast Editor (GFE) based text formatters or with Regionally approved alternative text formatters.

3. **Formatters.** Formatters that reside within the GFE software are designed to produce output that is within the defined formats of products specified below within this directive. Alternative formatters other than GFE must also produce products within the prescribed formats and use of these formatters will be documented with and cleared through the appropriate Regional Headquarters.

4. **Consistency of Information.** Forecast collaboration is essential in the forecast process to ensure consistency in both public grid and text based products. WFOs are responsible for ensuring their forecast grids used to produce the text products will be as uniform as possible between adjacent county warning and forecast areas (CWFA) and within a CWFA.

4.1 **Updates and Corrections.** Derived text products will be updated and corrected between expected issuances when the on-duty forecast team believes the current product is not representative, or an error is detected.

5. **Product Format and Specification.** The product format and specification documents are intended to give direction to the formatters developed to produce each product. The specifications will also facilitate proper ingest and decoding of text products by NWS users and partners.

5.1 **Zone Forecast Product (product category ZFP).**

5.1.1 **Mission Connection.** The Zone Forecast Product (ZFP) provides expected weather conditions within each zone (during a specified time period) of a WFO's CWFA. A zone is a geographic location that has sufficient climatological and meteorological homogeneity to allow a single forecast to serve as the forecast for that area. The ZFP is a text product issued for a 7 day period. Zones may be grouped together based on similar meteorological conditions and potential weather hazards.

5.1.2 **Issuance Criteria.** The ZFP will be issued anytime the digital database is updated to reflect changing conditions. The ZFP also serves as a "push" product of NWS forecast information, so at a minimum, the ZFP will be generated twice daily to meet this need and to remove the outdated first period of the forecast., except in Alaska Region, where the ZFP is updated as conditions warrant. Times for ZFP issuance will be established by the WFOs to best serve its user needs. WFOs may delay the morning and/or afternoon issuance of the ZFP until after the Tropical Prediction Center (TPC) issues its advisories. In these circumstances, the ZFP should be issued as soon as reasonably possible, and no later than 1.5 hours after receiving the TPC message.

5.1.3 Valid and Expiration Time. The ZFP is valid from the time of release through Day 7. The ZFP expires when a new ZFP is issued. Use of a default duration of 12 hours ensures overlap with newer product issuances.

5.1.4 Format Link. http://www.weather.gov/os/public/dir/ZFP_Format.pdf

5.1.5 Product Specification Link.
http://www.weather.gov/os/public/dir/ZFP_Specifications.pdf

5.2 Point Forecast Matrices (product category PFM).

5.2.1 Mission Connection. The Point Forecast Matrices (PFM) product displays various forecasted weather parameters for verification points, significant cities, and any other pre-defined points within a WFOs CWFA through Day 7. Forecasts for these parameters are at 3-hour, 6-hour, and/or 12-hour intervals. The PFM is intended for use by large volume users and by the general public. The PFM allows for rapid visual scanning of a large number of forecast parameters/values using a quasi-static matrix format. The forecast data is decodable by computers for creating derived products. Information in the PFM is provided to users as supplemental detail and/or higher resolution point forecast detail than can be found in other NWS derived text products.

5.2.2 Issuance Criteria. The PFM will be issued at anytime the digital database is updated to reflect changing conditions. The PFM serves as a point matrix “push” product of NWS forecast information, so at a minimum, the PFM will be generated at least twice daily to meet this need and to remove the outdated first period of the forecast. Times for PFM issuance will be established by the WFOs to best serve its user needs. The PFM will be updated and corrected when the on-duty forecast team believes the current forecast is not representative, or when format or content errors are detected. When the PFM is updated, all forecast parameters prior to the update time (to the nearest 3-hour period) are removed from the product. Occasionally, a forecast may need a correction. In these instances, the automated PFM product is replaced with the corrected version.

5.2.3 Valid and Product Expiration Time. The PFM is valid from the time of release through Day 7. The PFM expires when a new PFM is issued. Use of a default duration of 12 hours ensures overlap with newer product issuances.

5.2.4 Format Link. http://www.weather.gov/os/public/dir/PFM_Format.pdf

5.2.5 Product Specification Document Link .
http://www.weather.gov/os/public/dir/PFM_Specifications.pdf

5.3 Area Forecast Matrices (product category AFM).

5.3.1 Mission Connection. The Area Forecast Matrices (AFM) product displays various forecasted weather parameters conditions within each **zone** (see page 4 for zone description) in the WFO CWFA through Day 7. Forecasts for these parameters are at 3-hour, 6-hour, and/or 12-

hour intervals. The AFM is intended for use by large volume users and the general public. The AFM allows for rapid visual scanning of a large number of forecast parameters/values using a quasi-static matrix format. The forecast data is decodable by computers for creating derived products. Information in the AFM is provided to users as supplemental detail and/or higher resolution zone-based forecast detail than can be found in other NWS derived text products.

5.3.2 Issuance Criteria. The AFM is an optional product and if utilized, should be issued anytime the digital database is updated to reflect changing conditions. The AFM serves as an areal matrix “push” product of NWS forecast information. If issued by an office, the AFM should be generated twice daily to meet this need and to remove the outdated first period of the forecast, except in the Alaska Region where this product is not issued. Times for AFM issuance will be established by the WFOs to best serve its user needs.

The AFM will be updated and corrected when the on-duty forecast team believes the current forecast is not representative, or when format or content errors are detected. When the AFM is updated, all forecast parameters prior to the update time (to the nearest 3-hour period) are removed from the product. Occasionally, a forecast may need a correction. In these instances, the automated AFM product is replaced with the corrected version.

5.3.3 Valid and Product Expiration Time. The AFM is valid from the time of release through Day 7. The AFM expires when a new AFM is issued. Use of a default duration of 12 hours ensures overlap with newer product issuances.

5.3.4 Format Link. http://www.weather.gov/os/public/dir/AFM_Format.pdf

5.3.5 Product Specification Document Link.
http://www.weather.gov/os/public/dir/AFM_Specifications.pdf

5.4 Coded Cities Forecast (product category CCF)

5.4.1 Mission Connection. CCFs are abbreviated forecasts for particular cities/locations within a WFO’s area of responsibility. WFOs issue CCFs for both internal and external uses. The private sector uses the CCF to compare with their forecasts for specific cities/locations.

5.4.2 Issuance Criteria. The CCF is an optional product issued twice daily by all WFOs. CCFs will be transmitted twice daily; in the morning (between 0700 UTC and 1000 UTC) and in the afternoon (between 1900 and 2200 UTC).

5.4.3 Valid and Product Expiration Time. CCFs are valid according to the schedule shown in Table 1. Products expire with the next issuance.

Issuance Time	Beginning	Ending
07-10 UTC, Daily	Today, 12 UTC	see format
19-22 UTC, Daily	Tonight, 00 UTC	see format

Table 1: CCF Issuance Schedule.

5.4.4 Format Link. http://www.weather.gov/os/public/dir/CCF_Format.pdf

5.4.5 Product Specification Document Link.
http://www.weather.gov/os/public/dir/CCF_Specifications.pdf

5.5 State Forecast Product (product category SFP).

5.5.1 Mission Connection. The SFP is an optional product. It is a general 5 day public forecast of hydrometeorological conditions across the state (or part of the state) in which a WFO resides. The SFP uses the discrete period format.

5.5.2 Issuance Criteria. The SFP is an optional product that may be issued twice daily in addition to the Tabular State Forecast Product (SFT). The SFP should be issued in conjunction with, and within one hour of, ZFP releases.

5.5.3 Valid and Product Expiration Time. The SFP is valid from the time of release through Day 5. The SFP expires upon issuance of a new SFP.

5.5.4 Format Link. http://www.weather.gov/os/public/dir/SFP_Format.pdf

5.5.5 Product Specification Document Link.
http://www.weather.gov/os/public/dir/SFP_Specifications.pdf

5.6 Tabular State Forecast Product (product category SFT).

5.6.1 Mission Connection. The SFT is a tabular public forecast of hydrometeorological conditions at specific locations over a WFO's geographic area of responsibility and/or an entire state through Day 7. While the forecast area typically includes part of one or more states, designated WFOs issue the SFT for specified locations to adequately represent forecast conditions across one entire state. In some locations, generation of entire state SFTs will become available when fully supported by automated software.

5.6.2 Issuance Criteria. The SFT is a snapshot of primary weather information through 7 days. This, in combination with information in other derived products, can add value to the decision making process. The SFT will be issued at anytime the digital database is updated. At a minimum, the SFT will be generated twice daily along with the ZFP.

5.6.3 Valid and Product Expiration Time. The SFT is valid from the time of release through Day 7. The SFT expires when a new SFT is issued.

5.6.4 Format Link. http://www.weather.gov/os/public/dir/SFT_Format.pdf

5.6.5 Product Specification Document Link.

http://www.weather.gov/os/public/dir/SFT_Specifications.pdf