

**NATIONAL WEATHER SERVICE EASTERN REGION SUPPLEMENT 02-2004
APPLICABLE TO NWSI 10-1601
JANUARY 15, 2004**

**Operations and Services
Public Weather Services, NDS 10-5
WFO Non-precipitation Weather Products Specification, NWSPD 10-515
and
Performance, NWSPD 10-16
Verification Procedures, NWSI 10-1601**

HIGH WIND WARNING VERIFICATION IN EASTERN REGION

NOTICE: These publications are available at: <http://www.nws.noaa.gov/directives/>.

OPR: W/ER1x1 (R. Watling)
Type of Issuance: Initial

Certified by: W/ER1 (J. Guiney)

SUMMARY OF REVISIONS: This supplement supercedes Regional Operations Manual Letter (ROML) E-01-01, "Winter Storm and High Wind Verification," filed with WSOM Chapters C-42, C-44, and C-75, dated November 20, 2001. This supplement more precisely defines terms and adds the concepts of Percent of Events with Zero Lead Time and verification of Inland Tropical Storm and Inland Hurricane Wind warnings. Winter Storm verification is now addressed in a separate supplement.

< signed >

01-09-04

Dean P. Gulezian
Director, NWS Eastern Region

Date

High Wind Warning Verification

<u>Table of Contents:</u>		<u>Page</u>
1.	Purpose	2
2.	Background	2
3.	Responsibility	2
4.	Guidelines	3
4.1	Verification Area	3
4.2	Winter Storm Verification	3
4.3	Issuance Trigger	3
4.4	Event Definition	3
4.5	Warned Event	3
4.6	Warning without an Event	3
4.7	Missed Events	3
4.8	Lead Time	4
4.9	Percent of Events with Zero Lead Time	4
4.10	Warning Extension Rules	4
4.11	Combined Events	4
4.12	Inland Tropical Storm/Hurricane Wind Warnings	4
4.13	Storm Episode Definition	4
4.14	Verification Equations	4
4.15	Reporting Procedures	5
4.16	Verification Records	5

Attachments

- A. High Wind Warning Verification Summary Sheet A-1
- B. Verification Examples B-1

1. **Purpose.** The purpose of High Wind Warning verification is to accurately assess NWS wind warning performance and identify areas for service improvement.
2. **Background.** Verification of high wind warnings can be done many ways. This supplement provides standardized guidelines so annual verification statistics can be compared.
3. **Responsibility.** All Eastern Region (ER) Weather Forecast Offices (WFOs) are responsible for following these verification guidelines. ER Headquarters is responsible for compiling and posting summaries of seasonal statistics for WFO viewing.

4. **Guidelines.**

- 4.1 Verification Area. Verification for high wind warnings is based on individual public zones. Thus, a high wind warning (NPW) product covering three zones counts as three separate warnings.
- 4.2 High Wind Warning Verification. NWSI 10-515 discusses the multi-tiered concept for non-precipitation (NPW) watches, warnings and advisories. However, the only NPW product ER offices are required to verify is the high wind warning.
- 4.3 Issuance Trigger. High wind watches/warnings are triggered when sustained wind of 40 MPH or greater for an hour or more, or a peak gust \geq 58 MPH for any duration, is forecast or occurring. For watch issuance, a 50% or greater chance of reaching either threshold must exist; for warning issuance, 80% or greater.

Watches and warnings may, on occasion, be triggered when significant public impact is expected, even though quantitative thresholds are not likely to be met. For watch issuance, a 50% or greater chance of significant public impact must exist; for warning issuance, 80% or greater.

- 4.4 Event Definition. A high wind event has occurred whenever sustained winds of 40 MPH or more, or a peak gust of 58 MPH or more, has been reported from reliable observing equipment. Public impact such as power outages or damage to trees, roofs, windows or cars can also be used to indicate that a high wind event has occurred.
- 4.5 Warned Event (Hit). An event has been warned for when it occurs in a warned zone during the valid period of the warning.
- 4.6 Warning without an event (False Alarm). A warning without an event occurs when an event fails to materialize within the warned zone during the valid period of the warning.
- 4.7 Missed Events. Missed events occur when:
 - a. wind speeds observed in a zone meet or exceed the warning threshold when no warning was in effect, or
 - b. significant public impact occurs in a zone that would justify a warning when none was in effect,
 - c. warnings are downgraded to advisories, then warning criteria are subsequently met or exceeded during the storm, or

NWS ERS 02-2004 JANUARY 15, 2004

- d. weather events continue beyond the end time of a warning, resulting in warning criteria being met once again (see Attachment B for an example).
- 4.8 Lead Time. Compute a lead time for each zone that experiences an event. Subtract the time of warning issuance from the time when the event first met warning criteria in the zone. Set negative values to zero. If a zone experiences an event with no warning in effect, assign that event a lead time of zero. Compute average lead time from all the lead times listed in the event database, including zeros.
- 4.9 Percent of Events with Zero Lead Time. Compute the percent of events with zero lead time by dividing the number of events with no lead time by the total number of events. Events with zero lead time include all missed events, plus warned events with no lead time.
- 4.10 Expansion/Extension Rules. Expansion of warnings into new areas (zones) count as new warnings, with lead times computed from the new issuance time in accordance with section 4.8. Extensions in time for any of the zones in the initial warning will not be verified as separate warnings. The lead time will be computed from the initial warning issuance time.
- 4.11 Combined Events. When winter storm and high wind events occur simultaneously, a WSW should be used to cover both phenomena (typically blizzard conditions or considerable blowing and drifting snow will also be present). The WSW is verified based on the amount of precipitation that accumulates or public impact. NPWs should be used for stand-alone wind events - situations where snow is not falling or blowing around. The NPW is verified based on reported wind speeds or public impact.
- 4.12 Inland Tropical Storm/Inland Hurricane Wind Warnings. Inland Tropical Storm Wind Warnings are issued for and verified by sustained winds of 39 - 73 MPH, or significant public impact. Inland Hurricane Wind Warnings are issued for and verified by sustained winds of 74 MPH or more, or significant public impact. Wind Warning statistics generated from these tropical systems will be composited with those of extra-tropical systems and reported with attachment A.
- 4.13 Storm Episode. A storm episode is defined as any storm system that produces phenomena reaching or exceeding warning criteria in one or more zones. Individual storm episodes may be generated by a single synoptic scale system, an individual tropical cyclone, or a mesoscale event such as a local terrain channeling.

- 4.14 Verification Equations. Equations for computing Probability of Detection (POD), False Alarm Ratio (FAR), Critical Success Index (CSI), Lead Time (LT) and Percent of Events with Zero LT (% 0 LT) are listed below:

NWS ERS 02-2004 JANUARY 15, 2004

$$\text{POD} = \frac{\text{\# of warned events}}{\text{total \# of events}}$$

$$\text{FAR} = \frac{\text{\# of warnings without an event}}{\text{total \# of warnings}}$$

$$\text{CSI} = \frac{\text{\# of warned events}}{(\text{\# of warnings without an event}) + (\text{total \# of events})}$$

$$\text{LT} = (\text{initial time criteria is reached}) - (\text{issuance time of warning})$$

$$\% 0 \text{ LT} = \frac{((\text{\# of missed events}) + (\text{\# warned events with no lead time}))}{\text{total \# of events}} \times 100$$

- 4.15 Reporting Procedures. Events occurring from October 1 through December 31 of any calendar year will be tallied for the entire CWA and reported to ERH MSD no later than the following January 31. A cumulative tally encompassing the period from October 1 to March 31 will be reported no later than April 30. Isolated late season storms between March 31 and May 31 must be reported no later than June 30. Any storms occurring the remainder of the fiscal year (e.g. tropical storm high wind warnings) through September 30 must be reported no later than October 15.

Use Attachment A to summarize and report verification numbers to ERH.

- 4.16 Verification Records. Annual verification statistics should be kept on a zone by zone basis at each WFO to document and improve services on spatial scales smaller than the entire CWA.

ERH will keep summaries of high wind verification statistics for the entire region and make this information freely available for all Weather Forecast Offices to review.

Attachment A - High Wind Warning Verification Summary Sheet

WFO _____

Fiscal Year _____

High Wind Warnings

OCT-DEC OCT-MAR OCT-SEP

Number of Warnings Issued	_____	_____	_____
Warnings with an event	_____	_____	_____
Warnings without an event	_____	_____	_____
Probability of Detection	_____	_____	_____
False Alarm Ratio	_____	_____	_____
Critical Success Index	_____	_____	_____
Average (Event-based) Lead Time	_____	_____	_____
% 0 LT	_____	_____	_____

High Wind Event Summary

Number of Events	_____	_____	_____
Number of Storm Episodes	_____	_____	_____

$$POD = \frac{\text{\# of warned events}}{\text{total \# of events}}$$

$$FAR = \frac{\text{\# of warnings without an event}}{\text{total \# of warnings}}$$

$$CSI = \frac{\text{\# of warned events}}{(\text{\# of warnings without an event}) + (\text{total \# of events})}$$

$$LT = (\text{initial time criteria is reached}) - (\text{issuance time of warning})$$

$$\% 0 LT = \frac{((\text{\# of missed events}) + (\text{\# of warned events with no lead time}))}{\text{total \# of events}} \times 100$$

Attachment B - Verification Examples

Example 1 - reference section 4.7.c - Missed Events.

A high wind warning in effect for Franklin County is downgraded to an advisory at 11 AM, as sustained winds are only 35 MPH with occasional gusts to 50 MPH. At 2 PM, a wind gust of 60 MPH is reported. This is counted as both a false alarm and a missed event, because the warning threshold was not met within the valid time window, but was met outside the window. The same result would occur if the warning had been canceled or expired at 11 AM, rather than downgraded.

Example 2 - reference section 4.8 - Seasonal Lead Time computation.

Seasonal lead time computations must use a weighted average of each storm episode's lead time rather than a simple average. Thus, an office with two storms will have:

$((20 \text{ zones} \times 12 \text{ hr}) + (36 \text{ zones} \times 16 \text{ hr})) / 56 \text{ zones}$, yielding the correct LT of 14.57 hours, rather than a simple average of $(12 \text{ hr} + 16 \text{ hr}) / 2$, which gives an incorrect LT of 14 hours.

Alternatively, each individual event lead time through the whole season can be used to compute the average lead time.